

In the Claims:

1. (Cancelled).
2. (Cancelled).
3. (Currently Amended) A method comprising:
determining if travel on a learned route by a user is likely by determining if a current time corresponds to at least one travel time associated with the learned route;
requesting, through a mobile terminal, traffic information pertaining to the learned route when travel on the learned route is likely;
delivering the traffic information via the mobile terminal to the user; and
~~The method of claim 2 wherein at least one destination is associated with the learned route and further comprising predicting one of the at least one destinations as a most likely destination from one or more destinations associated with the learned route based on the current time and the at least one travel time associated with the learned route, wherein the most likely destination bears on the traffic information delivered to the user of the mobile terminal.~~
4. (Cancelled).
5. (Currently Amended) A method comprising:
determining if travel on a learned route by a user is likely comprising:
determining a location of the mobile terminal; and
comparing the location of the mobile terminal with location information associated with the learned route to determine if travel on the learned route by the user is likely; and
~~The method of claim 4 further comprising determining a direction of travel along the learned route based on determining successive locations of the mobile terminal for at least one interval of time[[,]];~~
requesting, through a mobile terminal, traffic information pertaining to the learned route when travel on the learned route is likely; and
delivering the traffic information via the mobile terminal to the user,

wherein the direction of travel bears on the traffic information delivered to the user of the mobile terminal.

6. (Currently Amended) The method of claim [[4]] 5 wherein at least one travel time is associated with the learned route and said step of determining if travel on a learned route by the user is likely comprises determining if a current time corresponds to the at least one travel time associated with the learned route and the location of the mobile terminal corresponds with the location information associated with the learned route.

7. (Currently Amended) A method comprising:
determining if travel on a learned route by a user is likely;
requesting, through a mobile terminal, traffic information pertaining to the learned route
when travel on the learned route is likely; and
delivering the traffic information via the mobile terminal to the user.

~~The method of claim 1~~ wherein at least one destination is associated with the learned route and further comprising predicting a most likely destination as one of the at least one destinations associated with the learned route based on determining a direction of travel along the learned route, wherein the most likely destination bears on the traffic information provided to the user of the mobile terminal.

8. (Original) The method of claim 7 wherein said determining a direction of travel along the learned route comprises determining successive locations of the mobile terminal.

9. (Currently Amended) The method of claim [[1]] 7 further comprising learning the learned route by:

recording locations of the mobile terminal traveling along a traveled route; and
processing the locations to define the learned route.

10. (Original) The method of claim 9 further comprising:
receiving a first user command and performing said step of recording locations in response to the first user command; and

receiving a second user command and performing said step of processing the locations to define the learned route in response to the second user command.

11. (Previously Presented) The method of claim 9 wherein said processing the locations to define the learned route comprises correlating the locations with roadway information to identify at least one road segment associated with the locations, and wherein the step of requesting traffic information pertaining to the learned route is based on requesting traffic information pertinent to the at least one road segment.

12. (Currently Amended) A method comprising:
determining if travel on a learned route by a user is likely;
requesting, through a mobile terminal, traffic information pertaining to the learned route
when travel on the learned route is likely;
delivering the traffic information via the mobile terminal to the user; and
~~The method of claim 1 further comprising~~ learning the learned route, wherein learning the learned route comprises:

periodically recording data including at least a location of the mobile terminal over a period of time;

processing the data to identify at least one group of associated ones of the locations; and

defining at least one learned route as represented by the at least one group of associated ones of the locations.

13. (Currently Amended) ~~A method comprising:~~ The method of claim 12,
determining if travel on a learned route by a user is likely;
~~requesting, through a mobile terminal, traffic information pertaining to the learned route~~
~~when travel on the learned route is likely;~~
~~delivering the traffic information via the mobile terminal to the user;~~
~~learning the learned route by:~~
~~periodically recording data including at least a location of the mobile terminal~~
~~over a period of time;~~

~~processing the data to identify at least one group of associated ones of the locations; and~~

~~defining at least one learned route as represented by the at least one group of associated ones of the locations;~~

wherein said processing the data comprises processing the data such that locations having a most frequent rate of occurrence in the data are identified, and wherein the locations having the most frequent rate of occurrence are associated based on a location value to form the at least one group of associated ones of the locations.

14. (Previously Presented) The method of claim 13 wherein said processing data to identify the locations having a most frequent rate of occurrence in the data comprises using a weighted averaging algorithm.

15. (Previously Presented) A method comprising:

determining if travel on a learned route by a user is likely;

requesting, through a mobile terminal, traffic information pertaining to the learned route when travel on the learned route is likely;

accessing the traffic information pertinent to the learned route;

delivering the traffic information via the mobile terminal to the user;

learning the learned route by:

periodically recording data including at least a location of the mobile terminal over a period of time;

processing the data to identify at least one group of associated ones of the locations; and

defining at least one learned route as represented by the at least one group of associated ones of the locations;

recording time information in conjunction with the locations as part of the data;

processing the time information in conjunction with the locations to identify at least one travel time associated with the at least one learned route; and

processing the locations to determine a most likely direction of travel for the at least one travel time;

wherein a current time and the most likely direction of travel bears on said step of accessing the traffic information pertinent to the learned route.

16. (Previously Presented) A method comprising:
- determining if travel on a learned route by a user is likely;
 - requesting, through a mobile terminal, traffic information pertaining to the learned route when travel on the learned route is likely;
 - accessing traffic information pertaining to the learned route;
 - delivering the traffic information via the mobile terminal to the user;
 - learning the learned route by:
 - periodically recording data including at least a location of the mobile terminal over a period of time;
 - processing the data to identify at least one group of associated ones of the locations; and
 - defining at least one learned route as represented by the at least one group of associated ones of the locations;
 - correlating the at least one group of associated ones of the locations with roadway information to identify at least one road segment associated with the at least one learned route;
- and

wherein said step of accessing traffic information pertaining to the learned route is based on accessing traffic information pertinent to the at least one road segment.

17. (Currently Amended) The method of claim [[1]] 16 further comprising processing the traffic information pertaining to the learned route to determine if an undesirable condition is indicated.

18. (Previously Presented) The method of claim 17 further comprising:
- requesting, through the mobile terminal, traffic information pertaining to an alternate route; and
 - delivering the traffic information pertaining to the alternate route to the user of the mobile terminal if the undesirable condition is indicated.

19. (Original) The method of claim 17 further comprising receiving one or more user settings used to process the traffic information pertaining to the learned route.
20. (Cancelled).
21. (Cancelled).
22. (Cancelled).
23. (Cancelled).
24. (Cancelled).
25. (Cancelled).
26. (Cancelled).
27. (Currently Amended) A computer readable media comprising software for instructing a computer to:
- receive at least one location value representing a location of a user's cellular telephone;
 - process the at least one location value to identify at least one group of associated locations representing at least one route of travel traveled by the user's cellular telephone; and
 - query an associated traffic information database for traffic information, wherein the traffic information relates to information selected from a group consisting of: traffic congestion, accidents, traffic flow, traffic snarls, and construction.
28. (Original) The computer readable media of claim 27 for further instructing the computer to correlate the at least one group of associated locations with roadway information to form a learned route including at least one road segment.

29. (Previously Presented) The computer readable media of claim 28 wherein the query of the associated traffic information database for traffic information pertains to the learned route.

30. (Previously Presented) The computer readable media of claim 29 for further instructing the computer to determine if the traffic information pertaining to the learned route indicates an undesirable condition and if so to provide traffic information pertaining to an alternate route, said traffic information adapted to be delivered to the user's cellular telephone.

31. (Previously Presented) The computer readable media of claim 30 for further instructing the computer to determine the alternate route based on determining a most likely current destination for the user, wherein information representing the learned route includes information representing at least one destination associated with the learned route.

32. (Cancelled).

33. (Cancelled).

34. (Cancelled).

35. (Cancelled).

36. (Cancelled).

37. (Cancelled).

38. (Currently Amended) A computer readable media comprising software for instructing a cellular telephone to:

periodically record data including at least a location of the cellular telephone;

process the data to identify at least one group of associated locations representing a route of travel;

defining at least one learned route of travel based on the at least one group of associated locations;

request traffic information related to the at least one learned route of travel; and

~~The computer-readable media of claim 37 for further instructing the cellular telephone to~~ record time information in conjunction as part of the data periodically recorded and to further process the data to identify at least one travel time for each of the at least one learned routes, wherein the cellular telephone may compare a current time with the at least one travel times to predict whether or not a user is likely to travel on the learned route.

39. (Currently Amended) A computer readable media comprising software for instructing a cellular telephone to:

periodically record data including at least a location of the cellular telephone;

process the data to identify at least one group of associated locations representing a route of travel;

defining at least one learned route of travel based on the at least one group of associated locations;

request traffic information related to the at least one learned route of travel;

~~The computer-readable media of claim 37 for further instructing the cellular telephone to~~ process the data to identify at least one associated destination for each of the at least one learned routes[.]; and

~~for further instructing the cellular telephone to~~ determine a direction of travel for the user when the user is traveling along a given one of the at least one learned routes, and for further instructing the cellular telephone to predict a most likely destination for the given one of the at least one learned routes based on the direction of travel.

40. (Currently Amended) A computer readable media comprising software for instructing a cellular telephone to:

periodically record data including at least a location of the cellular telephone;

process the data to identify at least one group of associated locations representing a route of travel;

defining at least one learned route of travel based on the at least one group of associated locations;

request traffic information related to the at least one learned route of travel;

~~The computer-readable media of claim 37 for further instructing the cellular telephone to:~~

begin periodically recording locations of the cellular telephone in response to a first user command;

stop recording the data in response to a second user command; and

process the data recorded between the first and second user commands to define a learned route.

41. (Previously Presented) A mobile terminal comprising:

a wireless communications interface adapted to communicate with a remote communications network;

a user interface adapted to provide information to a user of said mobile terminal and to receive control inputs from the user;

system control logic adapted to control said wireless communications interface and said user interface; and

traffic information logic adapted to form traffic information queries for transmission to the remote communications network, and process traffic information received from the wireless communications network in response to the traffic information queries for subsequent delivery to the user via said user interface;

wherein said traffic information logic is adapted to record locations of the mobile terminal over at least one period of time, wherein the recorded locations facilitate learning one or more routes traveled by the user of said mobile terminal, and wherein the learning of one or more routes traveled by the user bears on the information included by the traffic information logic in forming at least some of the traffic information queries.

42. (Cancelled).

43. (Currently Amended) The mobile terminal of claim [[42]] 41 wherein said traffic information logic is further adapted to process the locations recorded to identify at least one

group of associated locations representing at least one traveled route, and further adapted to define the at least one traveled route as at least one learned route.

44. (Currently Amended) The mobile terminal of claim ~~[[43]]~~ 41 wherein the traffic information logic translates the at least one learned route into at least one road segment based on correlating the locations in the corresponding at least one group of associated locations with roadway information.

45. (Currently Amended) The mobile terminal of claim ~~[[44]]~~ 41 wherein said mobile terminal is adapted to receive the roadway information from a separate navigational system, wherein said navigational system is included with said mobile terminal in a vehicular environment associated with the user of the mobile terminal.

46. (Currently Amended) The mobile terminal of claim ~~[[42]]~~ 41 wherein said mobile terminal is further adapted to receive the locations from a separate navigational system, wherein said navigational system is included with said mobile terminal in a vehicular environment associated with the user of the mobile terminal.

47. (Currently Amended) The mobile terminal of claim ~~[[42]]~~ 41 wherein said mobile terminal is further adapted to receive the locations from an integral navigational system included in said mobile terminal.

48. (Currently Amended) The mobile terminal of claim ~~[[42]]~~ 41 wherein said traffic information logic comprises a portion of said system control logic.

49. (Currently Amended) The mobile terminal of claim ~~[[42]]~~ 41 further comprising a module interface and wherein said traffic information logic comprises a module adapted to interface with said module interface.

50. (Previously Presented) The mobile terminal of claim 49 wherein said module is removably interfaced with said module interface such that said traffic information logic may be removably attached to said mobile terminal.

51. (Cancelled).

52. (Currently Amended) A method comprising:
determining if travel on a learned route by a user is likely;
requesting, through a mobile terminal, traffic information pertaining to the learned route
when travel on the learned route is likely; and
delivering the traffic information via the mobile terminal to the user.

~~The method of claim 1~~ wherein delivering traffic information via the mobile terminal to the user comprises delivering information relating to information selected from the group consisting of: traffic congestion, accidents, traffic flow, traffic snarls, and construction.

53. (Cancelled).

54. (Cancelled).

55. (Previously Presented) The mobile terminal of claim 41 wherein said traffic information logic forms traffic information queries requesting information relating to information selected from the group consisting of: traffic congestion, accidents, traffic flow, traffic snarls, and construction.

56. (Previously Presented) The traffic information system of claim 51 wherein said traffic information server adapted to provide traffic information provides traffic information relating to information selected from the group consisting of: traffic congestion, accidents, traffic flow, traffic snarls, and construction.